	Application No.	Applicant(s)	<b>8</b>
Notice of Allowability	09/901,623	HAMEURY, HERVE	
	Examiner	Art Unit	
	VINH P NGUYEN	2829	_
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication.  If not included I will be mailed in due course. <b>TH</b>	
1. X This communication is responsive to 04/13/04.			
2. ⊠ The allowed claim(s) is/are <u>1-17</u> .			
3. $igsqrtain$ The drawings filed on <u>06 October 2003</u> are accepted by the	e Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority unapplement is made of a claim for foreign priority unapplement is made of a claim for foreign priority unapplement is made of a claim for foreign priority unapplement.</li> <li>1.  Certified copies of the priority documents have a copies of the certified copies of the priority document international Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No		10
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) ☐ including changes required by the Notice of Draftspers  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1, each sheet, Replacement sheet(s) should be labeled as such in the context of the paper to the deposit of the paper to the paper t	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawi he header according to 37 CFR 1.121(	Office action of ngs in the front (not the back) of d).	
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT</li> </ol>	FOR THE DEPOSIT OF BIOLOGIC	AL MATERIAL.	
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendo	te	

Art Unit: 2829

1. The following is an examiner's statement of reasons for allowance: the prior art does not disclose method and apparatus for monitoring live electrical equipment at high or medium voltage having a combination of at lease one sensor unit placed on the equipment, comprising a first radio antenna, a sensor for producing a digital signal related to a determined physical parameter at a point to be monitored, and amplitude-modulation means connected to the sensor and to the first antenna, and activated by the energy received by said antenna, a transceiver unit placed outside the equipment and having a second radio antenna for emitting a radio wave to illuminate the first antenna, a power supply source, and signal processing means connected to the second antenna and the first antenna retransmitting towards the second antenna the radio wave that has been transmitted thereby, while simultaneously amplitude-modulating it in response to the output signal of the sensor, said signal processing means being arranged to provide a signal related to said parameter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

VINH P. NGUYEN PRIMARY EXAMINER ADT HAUT 2020

ART UNIT 2829 06/04/04